

CORMAY IMMUNO-CONTROL II (L)

Nr kat. / Cat. No 4-290

Seria / Lot: 806-51

Data ważn. / Exp.: 2019.06

PARAMETR / COMPONENT	METODA / METHOD	WARTOŚĆ ŚRODKOWA / ASSIGNED VALUE	ZAKRES / RANGE
MIOGLOBINA MYOGLOBIN	TIA-wzmacniane lateksem Latex-enhanced TIA	97 ng/ml	82 – 112 ng/ml
FERRYTYNA FERRITIN	TIA-wzmacniane lateksem Latex-enhanced TIA	103 ng/ml	88 – 118 ng/ml
CALKOWITE IgE TOTAL IgE	TIA-wzmacniane lateksem Latex-enhanced TIA	67 IU/ml	50 – 84 IU/ml

CORMAY IMMUNO-CONTROL II (L)

Nr kat. / Cat. No 4-290

Seria / Lot: 806-51

Data ważn. / Exp.: 2019.06

PARAMETR / COMPONENT	METODA / METHOD	WARTOŚĆ ŚRODKOWA / ASSIGNED VALUE	ZAKRES / RANGE
MIOGLOBINA MYOGLOBIN	TIA-wzmacniane lateksem Latex-enhanced TIA	97 ng/ml	82 – 112 ng/ml
FERRYTYNA FERRITIN	TIA-wzmacniane lateksem Latex-enhanced TIA	103 ng/ml	88 – 118 ng/ml
CALKOWITE IgE TOTAL IgE	TIA-wzmacniane lateksem Latex-enhanced TIA	67 IU/ml	50 – 84 IU/ml

CORMAY IMMUNO-CONTROL II (H)

Nr kat. / Cat. No 4-290

Seria / Lot: 806-52

Data ważn. / Exp.: 2019.06

PARAMETR / COMPONENT	METODA / METHOD	WARTOŚĆ ŚRODKOWA / ASSIGNED VALUE	ZAKRES / RANGE
MIOGLOBINA MYOGLOBIN	TIA-wzmacniane lateksem Latex-enhanced TIA	299 ng/ml	269 – 329 ng/ml
FERRYTYNA FERRITIN	TIA-wzmacniane lateksem Latex-enhanced TIA	403 ng/ml	343 – 463 ng/ml
CALKOWITE IgE TOTAL IgE	TIA-wzmacniane lateksem Latex-enhanced TIA	409 IU/ml	348 – 470 IU/ml

CORMAY IMMUNO-CONTROL II (H)

Nr kat. / Cat. No 4-290

Seria / Lot: 806-52

Data ważn. / Exp.: 2019.06

PARAMETR / COMPONENT	METODA / METHOD	WARTOŚĆ ŚRODKOWA / ASSIGNED VALUE	ZAKRES / RANGE
MIOGLOBINA MYOGLOBIN	TIA-wzmacniane lateksem Latex-enhanced TIA	299 ng/ml	269 – 329 ng/ml
FERRYTYNA FERRITIN	TIA-wzmacniane lateksem Latex-enhanced TIA	403 ng/ml	343 – 463 ng/ml
CALKOWITE IgE TOTAL IgE	TIA-wzmacniane lateksem Latex-enhanced TIA	409 IU/ml	348 – 470 IU/ml