

CORMAY IMMUNO-CONTROL II (L)

Nr kat. / Cat. No 4-290

Seria / Lot: 302-72

Data ważn. / Exp.: 2024.11

PARAMETR / COMPONENT	METODA / METHOD	WARTOŚĆ ŚRODKOWA / ASSIGNED VALUE	ZAKRES / RANGE
MIOGLOBINA MYOGLOBIN	TIA-wzmacniane lateksem Latex-enhanced TIA	91 ng/ml	77 – 105 ng/ml
FERRYTYNA FERRITIN	TIA-wzmacniane lateksem Latex-enhanced TIA	99 ng/ml	84 – 114 ng/ml
CAŁKOWITE IgE TOTAL IgE	TIA-wzmacniane lateksem Latex-enhanced TIA	68 IU/ml	51 – 85 IU/ml

CORMAY IMMUNO-CONTROL II (L)

Nr kat. / Cat. No 4-290

Seria / Lot: 302-72

Data ważn. / Exp.: 2024.11

PARAMETR / COMPONENT	METODA / METHOD	WARTOŚĆ ŚRODKOWA / ASSIGNED VALUE	ZAKRES / RANGE
MIOGLOBINA MYOGLOBIN	TIA-wzmacniane lateksem Latex-enhanced TIA	91 ng/ml	77 – 105 ng/ml
FERRYTYNA FERRITIN	TIA-wzmacniane lateksem Latex-enhanced TIA	99 ng/ml	84 – 114 ng/ml
CAŁKOWITE IgE TOTAL IgE	TIA-wzmacniane lateksem Latex-enhanced TIA	68 IU/ml	51 – 85 IU/ml

CORMAY IMMUNO-CONTROL II (H)

Nr kat. / Cat. No 4-290

Seria / Lot: 302-73

Data ważn. / Exp.: 2024.11

PARAMETR / COMPONENT	METODA / METHOD	WARTOŚĆ ŚRODKOWA / ASSIGNED VALUE	ZAKRES / RANGE
MIOGLOBINA MYOGLOBIN	TIA-wzmacniane lateksem Latex-enhanced TIA	300 ng/ml	270 – 330 ng/ml
FERRYTYNA FERRITIN	TIA-wzmacniane lateksem Latex-enhanced TIA	387 ng/ml	329 – 445 ng/ml
CALKOWITE IgE TOTAL IgE	TIA-wzmacniane lateksem Latex-enhanced TIA	402 IU/ml	342 – 462 IU/ml

CORMAY IMMUNO-CONTROL II (H)

Nr kat. / Cat. No 4-290

Seria / Lot: 302-73

Data ważn. / Exp.: 2024.11

PARAMETR / COMPONENT	METODA / METHOD	WARTOŚĆ ŚRODKOWA / ASSIGNED VALUE	ZAKRES / RANGE
MIOGLOBINA MYOGLOBIN	TIA-wzmacniane lateksem Latex-enhanced TIA	300 ng/ml	270 – 330 ng/ml
FERRYTYNA FERRITIN	TIA-wzmacniane lateksem Latex-enhanced TIA	387 ng/ml	329 – 445 ng/ml
CALKOWITE IgE TOTAL IgE	TIA-wzmacniane lateksem Latex-enhanced TIA	402 IU/ml	342 – 462 IU/ml