

CORMAY IMMUNO-CONTROL II (L)

Nr kat. / Cat. No 4-290

Seria / Lot: 312-74

Data ważn. / Exp.: 2025.09

PARAMETR / COMPONENT	METODA / METHOD	WARTOŚĆ ŚRODKOWA / ASSIGNED VALUE	ZAKRES / RANGE
MIOGLOBINA MYOGLOBIN	TIA-wzmacniane lateksem Latex-enhanced TIA	89 ng/ml	76 - 102 ng/ml
FERRYTYNA FERRITIN	TIA-wzmacniane lateksem Latex-enhanced TIA	102 ng/ml	87 - 117 ng/ml
CALKOWITE IgE TOTAL IgE	TIA-wzmacniane lateksem Latex-enhanced TIA	64 IU/ml	48 - 80 IU/ml

CORMAY IMMUNO-CONTROL II (L)

Nr kat. / Cat. No 4-290

Seria / Lot: 312-74

Data ważn. / Exp.: 2025.09

PARAMETR / COMPONENT	METODA / METHOD	WARTOŚĆ ŚRODKOWA / ASSIGNED VALUE	ZAKRES / RANGE
MIOGLOBINA MYOGLOBIN	TIA-wzmacniane lateksem Latex-enhanced TIA	89 ng/ml	76 - 102 ng/ml
FERRYTYNA FERRITIN	TIA-wzmacniane lateksem Latex-enhanced TIA	102 ng/ml	87 - 117 ng/ml
CALKOWITE IgE TOTAL IgE	TIA-wzmacniane lateksem Latex-enhanced TIA	64 IU/ml	48 - 80 IU/ml

CORMAY IMMUNO-CONTROL II (H)

Nr kat. / Cat. No 4-290

Seria / Lot: 312-75

Data ważn. / Exp.: 2025.09

PARAMETR / COMPONENT	METODA / METHOD	WARTOŚĆ ŚRODKOWA / ASSIGNED VALUE	ZAKRES / RANGE
MIOGLOBINA MYOGLOBIN	TIA-wzmacniane lateksem Latex-enhanced TIA	306 ng/ml	275 – 337 ng/ml
FERRYTYNA FERRITIN	TIA-wzmacniane lateksem Latex-enhanced TIA	405 ng/ml	344 – 466 ng/ml
CALKOWITE IgE TOTAL IgE	TIA-wzmacniane lateksem Latex-enhanced TIA	395 IU/ml	336 – 454 IU/ml

CORMAY IMMUNO-CONTROL II (H)

Nr kat. / Cat. No 4-290

Seria / Lot: 312-75

Data ważn. / Exp.: 2025.09

PARAMETR / COMPONENT	METODA / METHOD	WARTOŚĆ ŚRODKOWA / ASSIGNED VALUE	ZAKRES / RANGE
MIOGLOBINA MYOGLOBIN	TIA-wzmacniane lateksem Latex-enhanced TIA	306 ng/ml	275 – 337 ng/ml
FERRYTYNA FERRITIN	TIA-wzmacniane lateksem Latex-enhanced TIA	405 ng/ml	344 – 466 ng/ml
CALKOWITE IgE TOTAL IgE	TIA-wzmacniane lateksem Latex-enhanced TIA	395 IU/ml	336 – 454 IU/ml